



Certificate of Analysis

Certificate #: 2320-8

Customer: Embrace CBD Wellness Center

Page 1 of 3

Package Metrc ID#: N/A

Sample Metrc ID#: 2320-8

Strain Name: 3000mg CBD Tincture

Sample Date: 03/10/2021 Upload Date: 03/15/2021

Foreign Matter Inspection:

TERPENES	
Terpene	Content (wt/wt) %
α-Pinene	N/A
β-Pinene	N/A
β-Myrcene	N/A
Limonene	N/A
Terpinolene	N/A
Ocimene	N/A
Linalool	N/A
β-Caryophyllene	N/A
Humulene	N/A
β-Eudesmol	N/A
Caryophyllene oxide	N/A
Nerolidol	N/A
Camphene	N/A
Δ3-Carene	N/A
α-Terpinene	N/A
Fenchol	N/A
Eucalyptol	N/A
Γ-Terpinene	N/A
Isopulegol	N/A
Geraniol	N/A
Valencene	N/A
(-)-Guaiol	N/A
(-)-α-Bisabolol	N/A
Total:	N/A

CANNABANOID CONTENT	
Cannabinoid	Content (mg/mL)
Δ9-THC	1.69 (50.7 mg/Bottle)
THCA	ND
CBD	100.71 (3021.3 mg/Bottle)
CBDA	ND
THCVA	ND
THCV	0.15 (4.5 mg/Bottle)
CBN	< LOQ
CBG	0.70 (21.0 mg/Bottle)
Δ8-THC	ND
CBGA	0.21 (6.3 mg/Bottle)
CBDV	2.22 (66.6 mg/Bottle)
CBDVA	< LOQ
CBL	0.27 (8.1 mg/Bottle)
CBC	6.51 (195.3 mg/Bottle)
CBNA	ND
CBCA	ND
Total:	112.46 (3373.8 mg/Bottle)

VITAMIN E ACETATE	
N/A	Pass/Fail

PESTICIDES	
Analyte	PPM
Acetamiprid	N/A
Abamectin	N/A
Aldicarb	N/A
Ancymidol	N/A
Azoxystrobin	N/A
Bifenazate	N/A
Bifenthrin	N/A
Boscalid	N/A
Carbaryl	N/A
Carbofuran	N/A
Chlorantraniliprole	N/A
Chlorpyrifos	N/A
Clofentezine	N/A
Cyfluthrin	N/A
Daminozide (Alar)	N/A
DDVP (Dichlorvos)	N/A
Diazinon	N/A
Dimethoate	N/A
Ethephon	N/A
Etoxazole	N/A
Fenpyroximate	N/A
Fipronil	N/A
Fonicamid	N/A
Fonicamid	N/A

PESTICIDES	
Analyte	PPM
Flurprimidol	N/A
Hexythiazox	N/A
Imazalil	N/A
Imidacloprid	N/A
Kresoxim-methyl	N/A
Malathion	N/A
Metalaxyl	N/A
Methiocarb	N/A
Methomyl	N/A
Myclobutanil	N/A
Naled	N/A
Oxamyl	N/A
Paclbutrazol	N/A
Permethrin (cis+trans)	N/A
Phosmet	N/A
Piperonyl butoxide	N/A
Propicanazole	N/A
Pyrethrins	N/A
Spinosad	N/A
Spiromesifen	N/A
Spirotetramat	N/A
Thiacloprid	N/A
Thiamethoxam	N/A
Trifloxystrobin	N/A

HEAVY METALS		
Heavy Metal	PPM	State Levels
Lead (Pb)	N/A	< 1.0 PPM
Arsenic (As)	N/A	< 0.4PPM
Mercury (Hg)	N/A	< 0.2 PPM
Cadmium (Cd)	N/A	< 0.4 PPM
Chromium (Cr)	N/A	< 0.6 PPM
Barium (Ba)	N/A	< 60.0 PPM
Silver (Ag)	N/A	< 1.4 PPM
Selenium (Se)	N/A	< 26.0 PPM

RESIDUAL SOLVENTS		
Solvent	PPM	State Levels
Heptanes	N/A	< 5000
Hexanes	N/A	< 290
Butanes	N/A	< 5000
Benzene	N/A	< 2
Toluene	N/A	< 890
Total Xylenes	N/A	< 2170
Propanes	N/A	< 5000
Ethanol	N/A	< 5000

MICROBIOLOGICAL		
Microbiological Impurity	CFU/g	State Levels
Total Aerobic Microbial Count (TAMC)	N/A	< 100,000
Total Yeast and Mold Count (TYMC)	N/A	< 10,000
E. coli	N/A	< 100
Salmonella Sp.(Present/Absent)	N/A	Absent

WATER		
Water Activity (Aw)	N/A	(< 0.65)
Moisture Content	N/A	%
MYCOTOXIN		
Mycotoxin	PPB	State Levels
Aflatoxins B1, B2, G1, G2	N/A	< 20
Ochratoxin A	N/A	< 20



Annette Alchin, M.S.



Annette Alchin, M.S. Laboratory Director

1131 Benfield Blvd. Suite P, Millersville, MD 21108 410-980-9833 | www.atlantictestlabs.com

Terms & Definitions:

- ND = Not Detected
- LOD = Limit of Detection
- LOQ = Limit of Quantitation